L Number	Hits	Search Text	T 85		
1	2461		DB USPAT;	Time stamp	<del></del>
		((315/46,49))).CCLS.	US-PGPUB;	2003/01/11 19:	44
		(10-0) 10,7,7,10020.	EPO; JPO;		
1 1			DERWENT;		
			IBM TDB		
1.8	2054	((250/493.1,396,504R,506.1)).CCLS.	USPAT;	2003/01/11 19:	A E
			US-PGPUB;	2003/01/11 19:	43.
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
15	363	((dielectric-barrier near discharg\$3) or	USPAT;	2003/01/11 20:	1Ω
!		(dielectric near barrier near discharg\$3))	US-PGPUB;	2003/01/11 20.	10
1 1		and (UV or ultraviolet or ultra-violet)	EPO; JPO;		
	·		DERWENT;		
1			IBM TDB		
22	321	1	USPĀT;	2003/01/11 20:	12
		(dielectric near barrier near discharg\$3))	US-PGPUB;	2000,01,11 20.	12
		and (UV or ultraviolet or ultra-violet))	EPO; JPO;		
		and lamp	DERWENT;		
			IBM TDB		
29	76		USPAT;	2003/01/11 20:1	19
! !		(dielectric near barrier near discharg\$3))	US-PGPUB;	2000,01,11 20.1	
		and (UV or ultraviolet or ultra-violet))	EPO; JPO;		
		and lamp) and window	DERWENT;		
			IBM TDB		
36	121	((((dielectric-barrier near discharg\$3) or	USPAT;	2003/01/11 20:1	12
		(dielectric near barrier near discharg\$3))	US-PGPUB;	2000/01/11 20.1	
ı i		and (UV or ultraviolet or ultra-violet))	EPO; JPO;		
		and lamp) and heat\$3	DERWENT;		
			IBM TDB		
43	25	(((((dielectric-barrier near discharg\$3)	USPAT;	2003/01/11 19:4	18
		or (dielectric near barrier near	US-PGPUB;		. •
		discharg\$3)) and (UV or ultraviolet or	EPO; JPO;		
		ultra-violet)) and lamp) and window) and	DERWENT;		
		((((dielectric-barrier near discharg\$3)	IBM TDB		
		or (dielectric near barrier near	_		
i		discharg\$3)) and (UV or ultraviolet or			
	_	ultra-violet)) and lamp) and heat\$3)			
50	3	(((((dielectric-barrier near discharg\$3)	USPAT;	2003/01/11 20:1	.3
	1	or (dielectric near barrier near	US-PGPUB;		
	1	discharg\$3)) and (UV or ultraviolet or	EPO; JPO;		
	İ	ultra-violet)) and lamp) and window) and	DERWENT;		
	-	((((dielectric-barrier near discharg\$3)	IBM TDB		1
	1	or (dielectric near barrier near	_		-
	į	discharg\$3)) and (UV or ultraviolet or			
		ultra-violet)) and lamp) and heat\$3)) and			
57	_	(heat\$3 with window)			
3/	0	((((((dielectric-barrier near discharg\$3)	USPAT;	2003/01/11 19:5	5
!	Į.	or (dielectric near barrier near	US-PGPUB;		
	!	discharg\$3)) and (UV or ultraviolet or	EPO; JPO;		
		ultra-violet)) and lamp) and window) and	DERWENT;		
	İ	((((dielectric-barrier near discharg\$3)	IBM_TDB		
	1	or (dielectric near barrier near	1		
İ	1	discharg\$3)) and (UV or ultraviolet or			
		ultra-violet)) and lamp) and heat\$3)) and	Í		İ
	-	(heat\$3 with window)) and (bulb or			
: 71		incandescent)			
71		((((((dielectric-barrier near discharg\$3)	USPAT;	2003/01/11 20:01	1
!		or (dielectric near barrier near	US-PGPUB;		1
[	İ	discharg\$3)) and (UV or ultraviolet or	EPO; JPO;		
		ultra-violet)) and lamp) and window) and	DERWENT;		
		(((((dielectric-barrier near discharg\$3)	IBM_TDB		
		or (dielectric near barrier near			
		discharg\$3)) and (UV or ultraviolet or			- 1
	1	ultra-violet)) and lamp) and heat\$3)) and			
		(bulb or incandescent)) and film			f

<u> </u>				
64	!	7 ((((((dielectric-barrier near discharg\$3)	USPAT;	2003/01/11 20:16
i	1	or (dielectric near barrier near	US-PGPUB	;
	1	discharg\$3)) and (UV or ultraviolet or	EPO; JPO;	;
		ultra-violet)) and lamp) and window) and	DERWENT;	
		(((((dielectric-barrier near discharg\$3) or (dielectric near barrier near	IBM_TDB	
i	- 1	discharg\$3)) and (UV or ultraviolet or		1
}		ultra-violet)) and lamp) and heat\$3)) and		İ
Ì		(bulb or incandescent)		-
' 78		3 (((((dielectric-barrier near discharg\$3)		İ
1	1	or (dielectric near barrier near	USPAT;	2003/01/11 20:00
1		discharg\$3)) and (UV or ultraviolet or	US-PGPUB;	
1		ultra-violet)) and lamp) and heat\$3) and	EPO; JPO;	
	1	(neaths with window)	DERWENT;	
85		1   (((((dielectric-barrier near discharges)	IBM_TDB USPAT;	0000 (01 11 1
		Of (dielectric near barrier near	US-PGPUB;	2003/01/11 20:00
	1	discharg\$3)) and (UV or ultraviolet or	EPO; JPO;	
1		(ultra-violet)) and lamp) and heats3) and	DERWENT;	
İ	1	(neaths with window)) and	IBM TDB	
1		((((250/493.1,396,504R,506.1)) or	1511_155	
92		((315/46,49))).CCLS.)		1
1 22		1 (((((((dielectric-barrier near	USPAT;	2003/01/11 20:14
	!	discharg\$3) or (dielectric near barrier	US-PGPUB;	2003/01/11 20:14
I	i	near discharg\$3)) and (UV or ultraviolet	EPO; JPO;	
		or ultra-violet)) and lamp) and window)	DERWENT;	
1	· ·	and ((((dielectric-barrier near	IBM TDB	
		discharg\$3) or (dielectric near barrier	_	
1	1	near discharg\$3)) and (UV or ultraviolet		
1		or ultra-violet)) and lamp) and heat\$3)) and (bulb or incandescent)) and film) and	į	
		(infrared or IR or infared)		
99		((((((dielectric-barrier near discharg\$3)		
!		or (dielectric near barrier near	USPAT;	2003/01/11 20:02
ĺ		discharg\$3)) and (UV or ultraviolet or	US-PGPUB;	
1		(ultra-violet)) and lamp) and window) and	EPO; JPO;	j
l		((((dielectric-barrier near discharges)	DERWENT;	
ļ	1	or (dielectric near barrier near	IBM_TDB	]
	1	(discharg\$3)) and (UV or ultraviolet or		1
	İ	(ultra-violet)) and lamp) and heat(3)) and		
	1	(neat\$3 with window)) and (infrared or TR		
106	1	(Of Infared)		
200	4	(((((dielectric-barrier near discharg\$3)	USPAT;	2003/01/11 20:02
		or (dielectric near barrier near	US-PGPUB;	-100,02,11 20:02
		discharg\$3)) and (UV or ultraviolet or	EPO; JPO;	1
		ultra-violet)) and lamp) and window) and	DERWENT;	İ
	1	(((((dielectric-barrier near discharg\$3) or (dielectric near barrier near	IBM_TDB	1
	]	discharg\$3)) and (UV or ultraviolet or		
		ultra-violet)) and lamp) and heat\$3)) and		
		(infrared or IR or infared)		
113	71	((((dielectric-barrier near discharg\$3) or	HODAM	
		(dielectric near barrier near discharges))	USPAT;	2003/01/11 20:09
		dnd (UV or ultraviolet or ultra-violet))	US-PGPUB; EPO; JPO;	
		and lamp) and (infrared or IR or infared)	DERWENT;	1
120		ļ	IBM TDB	
120	0	i vvvvarorocciio Dailiel Hear discharasti	USPAT;	2003/01/11 22 15
1		or (dielectric near barrier near	US-PGPUB;	2003/01/11 20:10
1		discharg\$3)) and (UV or ultraviolet or	EPO; JPO;	
1		(ultra-violet)) and lamp) and (infrared or	DERWENT;	]
127	۾ ا	IT Of Infared)) and (heats? with window)	IBM TDB	
~ <del>~ ·</del>	3 '	'(((dlelectric-barrier near discharges) or	USPAT;	2003/01/11 20:10
1		(dielectric near barrier near discharges))	US-PGPUB;	,, -1
		and (UV or ultraviolet or ultra-violet)	EPO; JPO;	
i		and lamp) and (heat\$3 with window)	DERWENT;	
134	1	ll and (((dielectric-barrier near	IBM TDB	
1	-	discharg\$3) or /dielocted	USPĀT;	2003/01/11 20:11
ĺ	l	discharg\$3) or (dielectric near barrier near discharg\$3)) and (UV or ultraviolet	US-PGPUB;	
!	ļ	or ultra-violet))	EPO; JPO;	
		,,	DERWENT;	
			IBM TDB	

141				
141	83	B   l and (((dielectric-barrier near	USPAT;	2003/01/11 20:11
		discharg\$3) or (dielectric near barrier	US-PGPUB;	20.11
		near discharg\$3)) and (UV or ultraviolet	EPO; JPO;	1
	•	or ultra-violet))	DERWENT;	-
1 1 40		· •	IBM TDB	1
148	1 62	(l and (((dielectric-barrier near	USPAT:	2003/01/11 20:12
İ		discharg\$3) or (dielectric near barrier	US-PGPUB;	2003/01/11 20:12
1	i	near discharg\$3)) and (UV or ultraviolet	EPO; JPO;	_ 1
		or ultra-violet))) and lamp	DERWENT;	
1,55			IBM TDB	
155	15	((1 and (((dielectric-barrier near	USPAT;	2003/01/11 20:12
i	İ	discharg\$3) or (dielectric near harrier	US-PGPUB;	2003/01/11 20:12
		near discharg\$3)) and (UV or ultraviolet	EPO; JPO;	
1	ļ	or ultra-violet))) and lamp) and window	DERWENT;	
1			IBM TDB	
162	11	I THE WILL TO TOUCH TO THE TOUCH TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TOUCH TO THE TOUCH TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TOUCH TO THE TOUCH TOUCH TO THE TOUCH TO THE TOUCH TO THE TOUCH TOUCH TO THE TOUCH TOUCH TOUCH TO THE TOUCH TOUCH TOUCH TO THE TOUCH TOUCH TO THE TOUCH TOUCH TOUCH TO THE TOUCH	USPAT;	2002/01/11 20 12
	Ì	discharg\$3) or (dielectric near harrier	US-PGPUB;	2003/01/11 20:13
1		near discharg\$3)) and (UV or ultraviolet	EPO; JPO;	
		or ultra-violet))) and lamp) and window)	DERWENT;	1
1		and heat\$3	IBM TDB	
169	1	((((l and (((dielectric-barrier near	USPAT:	2002 (22 (23
	1	discharg\$3) or (dielectric near barrier		2003/01/11 20:14
		near discharg\$3)) and (UV or ultraviolet	US-PGPUB;	
		or ultra-violet))) and lamp) and window)	EPO; JPO;	1
ĺ		and heat\$3) and (heat\$3 with window)	DERWENT;	
176	6	((((l and (((dielectric-barrier near	IBM_TDB	
		discharg\$3) or (dielectric near barrier	USPAT;	2003/01/11 20:14
i		near discharg\$3)) and (UV or ultraviolet	US-PGPUB;	
		or ultra-violet))) and lamp) and window)	EPO; JPO;	
	1	and heat\$3) and film	DERWENT;	
183	3	((((l and (((dielectric-barrier near	IBM_TDB	
		discharg\$3) or (dielectric near barrier	USPAT;	2003/01/11 20:15
	ļ	near discharg\$3)) and (UV or ultraviolet	US-PGPUB;	ł I
-		or ultra-violet))) and lamp) and window)	EPO; JPO;	
i		and heat\$3) and (infrared or IR or	DERWENT;	]
		infared)	IBM_TDB	
190	2	(((((1 and (((dielectric-barrier near		
1	_	discharg\$3) or (dielectric near barrier	USPAT;	2003/01/11 20:16
		near discharg\$3)) and (UV or ultraviolet	US-PGPUB;	
		or ultra-violet))) and lamp) and window)	EPO; JPO;	ļ
İ		and heat\$3) and film) and (bulb or	DERWENT;	
		incandescent)	IBM_TDB	
197	207	((dielectric-harrier add die 1		
	20,	((dielectric-barrier adj discharg\$3 adj lamp) or (dielectric adj barrier adj	USPAT;	2003/01/11 20:18
	1	discharges add lame)	US-PGPUB;	
	]	discharg\$3 adj lamp)) and (UV or ultraviolet or ultra-violet)	EPO; JPO;	
i		dictaviolet of ultra-violet)	DERWENT;	
204	56	(//diologtric harming 1/ 1/ )	IBM_TDB	
	70	(((dielectric-barrier adj discharg\$3 adj	USPAT;	2003/01/11 20:19
;		lamp) or (dielectric adj barrier adj	US-PGPUB;	
t		discharg\$3 adj lamp)) and (UV or	EPO; JPO;	
İ		ultraviolet or ultra-violet)) and window	DERWENT;	
	L		IBM TDB	1